



| Leistung m3/hr | Trocken- gewicht kg. | Betriebs- gewicht kg. | N1-DN | N2-DN | N3-DN |
|-------------------|----------------------------|-----------------------------|-------|-------|-------|
| | | | PN 40 | PN 40 | PN 40 |
| 5 to 19 | 55 | 80 | 40 | 40 | 50 |
| 20 to 49 | 70 | 110 | 80 | 80 | 50 |
| 50 to 75 | 110 | 200 | 100 | 100 | 50 |
| 76 to 119 | 160 | 190 | 150 | 150 | 50 |
| 120 to 179 | 190 | 390 | 150 | 150 | 50 |
| 180 to 300 | 350 | 900 | 200 | 200 | 50 |

| Leistung m3/hr | ØA | B | C | D | E | F | G | H | I | J | K | T1 | T2 | T3 | L |
|-------------------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|------|----|----|-----|
| 5 to 19 | 300 | 450 | 400 | 105 | 120 | 347 | 80 | 380 | 150 | 235 | 187 | 3.68 | 8 | 8 | 67 |
| 20 to 49 | 400 | 450 | 380 | 140 | 150 | 410 | 118 | 480 | 180 | 235 | 240 | 5.49 | 8 | 8 | 81 |
| 50 to 75 | 500 | 600 | 515 | 180 | 185 | 517 | 148 | 580 | 230 | 260 | 302 | 6.02 | 8 | 8 | 101 |
| 76 to 119 | 600 | 650 | 539 | 200 | 210 | 602 | 200 | 680 | 284 | 235 | 366 | 7.11 | 8 | 8 | 104 |
| 120 to 179 | 600 | 950 | 828 | 200 | 210 | 602 | 224 | 780 | 300 | 245 | 374 | 7.11 | 8 | 8 | 104 |
| 180 to 300 | 900 | 1180 | 1020 | 325 | 340 | 740 | 300 | 880 | 460 | 250 | 567 | 8.18 | 20 | 10 | 167 |